LIVINGSTONE

Dimension
55x180

The charm of the mountains takes new life on the surface of the model GRANSASSO, dedicated to those who want to feel well by living more naturally the relationship with the environment.

Gransasso

Stone:
~ white
~ coloured (see finishings table)
~ coloured in RAL scale

Frame:
~ matt black as standard
~ Livingstone® colours (see finishings table)
  or RAL scale upon request
~ provided with brackets for an easy and quick
  installation
~ can be accessorised (see table in accessories
  section)

Control panel:
~ the electronic display is standard in the electric
  and hybrid versions.
~ positioned on the right side (on left side upon
  request with no surcharge)
~ programmable

~ In the hydronic version the radiator is manually
  controlled through your home thermostat.

86x55   110x55   30x100   55x110   55x150   30x180   55x180

STONE FRAME   7

H   L

ARTICLE	SIZE (LxH)	POWER		WHITE	COLOURED	RAL
8GSE0310	30X100 ▮	250 W				
8GSE0318	30X180 ▮	500 W				
8GSE0511	55X110 ▮	750 W				
8GSE0515	55X150 ▮	1000 W				
8GSE0518	55X180 ▮	1400 W				
8GSE0805	86X55 ▬	500 W				
8GSE1105	110X55 ▬	750 W				
Surcharge for frame in different finishing (black as standard)						

ARTICLE	SIZE (LxH)	POWER Δt 50°C	WHITE	COLOURED	RAL
8GSW0318	30X180 ▮	480 W			
8GSW0511	55X110 ▮	720 W			
8GSW0515	55X150 ▮	1200 W			
8GSW0518	55X180 ▮	1680 W			
8GSW0805	86X55 ▬	600 W			
8GSW1105	110X55 ▬	720 W			
Surcharge for frame in different finishing (black as standard)					

ARTICLE	SIZE (LxH)	POWER	POWER Δt 50°C	WHITE	COLOURED	RAL
8GSH0318	30X180 ▮	500 W	480 W			
8GSH0511	55X110 ▮	750 W	720 W			
8GSH0515	55X150 ▮	1000 W	1200 W			
8GSH0518	55X180 ▮	1400 W	1680 W			
8GSH0805	86X55 ▬	500 W	600 W			
8GSH1105	110X55 ▬	750 W	720 W			
Surcharge for frame in different finishing (black as standard)						

_ REMARKS

_ Valves Kit to be ordered separately.
_ It is possible to equip the radiator with different accessories.

TYPE:
› ⚡ Electric › 💧 Hydronic › ⚡💧 Hybrid

Configuration:
› ▬ horizontal › ▮ vertical
(Horizontal versions must not be installed vertically and viceversa)

Delivery time:
2/3 weeks
3/4 weeks