


Dimension
30x180 | 55x180

LIVINGSTONE





The EASYSTONE range is characterized by the immediacy and simplicity of its lines, exalted in their purity.
A perfect synthesis between form and function.

Easystone

Stone:

- ~ white
- ~ coloured (see finishings table)
- ~ coloured in RAL scale


Frame:

- ~ matt black as standard
- ~ Livingstone® colours (see finishings table) or RAL scale upon request
- ~ provided with brackets for an easy and quick installation
- ~ can be accessorised (see table in accessories section)

Control panel:

- ~ the electronic display is standard in the electric and hybrid versions.
- ~ positioned on the right side (on left side upon request with no surcharge)
- ~ programmable
- ~ In the hydronic version the radiator is manually controlled through your home thermostat.





ARTICLE	SIZE (LxH)	POWER	WHITE	COLOURED	RAL
8ESE0310	30X100	250 W			
8ESE0318	30X180	500 W			
8ESE0511	55X110	750 W			
8ESE0515	55X150	1000 W			
8ESE0518	55X180	1400 W			
8ESE0805	86X55	500 W			
8ESE1105	110X55	750 W			
Surcharge for frame in different finishing (black as standard)					



ARTICLE	SIZE (LxH)	POWER Δt 50°C	WHITE	COLOURED	RAL
8ESW0318	30X180	480 W			
8ESW0511	55X110	720 W			
8ESW0515	55X150	1200 W			
8ESW0518	55X180	1680 W			
8ESW0805	86X55	600 W			
8ESW1105	110X55	720 W			
Surcharge for frame in different finishing (black as standard)					



ARTICLE	SIZE (LxH)	POWER	POWER Δt 50°C	WHITE	COLOURED	RAL
8ESH0318	30X180	500 W	480 W			
8ESH0511	55X110	750 W	720 W			
8ESH0515	55X150	1000 W	1200 W			
8ESH0518	55X180	1400 W	1680 W			
8ESH0805	86X55	500 W	600 W			
8ESH1105	110X55	750 W	720 W			
Surcharge for frame in different finishing (black as standard)						

REMARKS



- _ Valves Kit to be ordered separately.
- _ It is possible to equip the radiator with different accessories.

TYPE:

⚡ Electric › 💧 Hydronic › ⚡💧 Hybrid

Configuration:

› ▬ horizontal › ▮ vertical
(Horizontal versions must not be installed vertically and viceversa)

Delivery time:

2/3 weeks

3/4 weeks